

FIG. 1.









FIG. 2.

 View Specifications Online  Download Specifications  Buy a License  My Account  Support






31 33 35 37 39

Please select which market you wish to view specifications for.

United States Domestic
Northern European (English)
Northern European (German)
Southern European (French)
Southern European (Italian)
Asian
Australian
Japanese
Korean
Mexican
Saudi Arabian
South American

30

FIG. 3a

 View Specifications Online |  Download Specifications |  Buy a License |  My Account |  Support

31

33

35

37

39

Market: United States Domestic

Please select a manufacturer.

ACURA ~ 32

<< Back | Continue >>

[Web Site Comments](#) | [Privacy Policy](#) | [Legal Notices](#) | [Terms & Conditions](#)

FIG. 3b

 View Specifications Online |  Download Specifications |  Buy a License |  My Account |  Support

31

33

35


37

39


Market: United States Domestic

Manufacturer: ACURA

Please select *either* Model *or* Year.

Select by Model 

OR

Select by Year 

<< Back

[Web Site Comments](#) | [Privacy Policy](#) | [Legal Notices](#) | [Terms & Conditions](#)

Fig. 3C

[View Specifications Online](#) |
 [Download Specifications](#) |
 [Buy a License](#) |
 [My Account](#) |
 [Support](#)

Market: United States Domestic

Manufacturer: ACURA

Year: 1999-1999

Model: 3.0CL

FRONT


	Min.	Pref.	Max.	Min.	Pref.	Max.
Caster	2.30°	3.30°	4.30°	2.30°	3.30°	4.30°
Camber	-1.01°	0.01°	1.02°	-1.02°	-0.02°	1.02°
SAI	---	---	---	---	---	---
Individual Toe	---	---	---	---	---	---
			Min.	Pref.	Max.	
Total Toe			-0.30°	0.00°	0.30°	

REAR

	Min.	Pref.	Max.	Min.	Pref.	Max.
Camber	-1.00°	-0.50°	0.00°	-1.00°	-0.50°	0.00°
Individual Toe	---	---	---	---	---	---
Total Toe			0.00°	0.30°	0.60°	

[<< Back](#)
[Print](#)

FIG. 3d






FIG. 5